RENNSTEIG

The Right Tool.



#1 Tool Brand for Solar Professionals

When it's a RENNSTEIG, YOU can feel it.

Tools for

Amphenol H4 CF (machined contact	:s)	5	7	9	11	13	15	17
Amphenol H4 S&F					5	7	11	15
Amphenol UTX™ S&F					5	7	11	15
Amphenol UTX™-XL/CF (machined of	con	tact	s)		5	7	11	15
BizLink			5	7	11	13	15	17
BizLink/SunBolt					5	7	11	15
Jinko		5	7	9	11	13	15	17
Leoni		5	7	9	11	13	15	17
Staubli MC3				5	7	11	15	24
Staubli MC4	5	7	9	11	13	15	17	22
Staubli MC4-EVO 2					5	7	11	15
TE (Solarlok)			5	7	11	13	15	17
TE Solarlok PV4-S		5	7	9	11	13	15	17
Tlian		5	7	9	11	13	15	17
TongLin						5	7	11
Twinsel		5	7	9	11	13	15	17
Wieland (Gesis Solar)		5	7	9	11	13	15	17

Crimp System Tools

When you buy this tool you will receive a complete tool with an installed Die Set and Locator. So you are ready to crimp right away.

The Rennsteig Solar Crimp System is unique in the industry. We offer the option (different Crimp Die Sets) to crimp all common terminals/contacts on the solar market today. Because of interchangeable die sets, you won't need to buy more than one crimp tool. You can just get an additional die set to fit your existing crimp tool. In addition to our standard Crimp System Tool frame the Die Sets will also fit into the following available products.



Hand Tool

Electromechanical Driven Tool

Manual Press

Pneumatic Crimping Machine












You already own a RENNSTEIG Crimp System Tool? Here you will find additional Die Sets and Locators which fit into your (existing) tool.



Complete Preassembled Cases

You need to work with different kind of connectors? With these cases you do not need to carry several single tools. In this category you will find heavy duty carrying cases in different configurations.



Cable Cutters and Stripping Tools

Here you will find special designed cable cutters and wire stripper.

Assembly Tools

In this section you will find other helpful tools to do your job faster, better and easier.



Crimp System Tool

This crimp tool is recommended for crimping solar contacts. The excellent handling, easy exchange of the crimping die sets and the option of adding a positioning aid are features in favor of these crimping pliers.

- > High-precision ratchet mechanism for complete crimps
- > 1.2 metric tons pressure at crimping face, with minimal hand effort
- > Interchangeable high-precision Crimping Die Sets
- > Parallel jaws for even crimps
- > Interchangeable Locators for precise positioning of terminals
- > Well balanced, approx. 1.5 lbs.



Double-plated ratchet gear extends tool live



Easy grip even when fully open



Parallel crimping






Emergency Release (if jam occurs)

Application	Wire Gauge	Part#	Description	Terminal*
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S	14/12/10	624 570 3 1 RT	Tool w/ Die Set + Locator	
	12/10/8	624 1193 3 1 RT	Tool w/ Die Set + Locator	
Staubli MC4	12/10 (stamped&formed) and 8 (machined/solid)	624 1301 3 1 RT	Tool w/ Die Set + Locator	
Staubli MC4-EVO 2	14/12/10/8	624 1332 3 1 RT	Tool w/ Die Set + Locator	
Amphenol UTX ™ s&F	14/12/10	624 1364 3 1 RT	Tool w/ Die Set + Locator	
Amphanal I ITY™-YI /CF		624 1371 3 RT	Tool w/ Die Set	
Amphenol UTX [™] -XL/CF (machined contacts)	14/12/10/8	624 1371 3 1 RT	Tool w/ Die Set + Locator	
		624 1194 3 RT	Tool w/ Die Set	emit file
Amphenol H4 cF (machined contacts)	14/12/10/8	624 1194 3 1 RT	Tool w/ Die Set + Locator	and the
Amphenol H4 s&F	14/12/10	624 1175 3 1 RT	Tool w/ Die Set + Locator	
	12/10/8	624 073-1 3 RT	Tool w/ Die Set	-20
Wieland (Gesis Solar)		624 073-1 3 16 RT	Tool w/ Die Set + Locator	
		624 817 3 RT	Tool w/ Die Set	
TE (Solarlok)	16/14/12/10	624 817 3 1 RT	Tool w/ Die Set + Locator	
TE (Solarlok PV4)	12/10	624 969 3 1 RT	Tool w/ Die Set + Locator	
	- 4-	624 1170 3 RT	Tool w/ Die Set	
	6/8	624 1170 3 1 RT	Tool w/ Die Set + Locator	
BizLink /SunBolt	10	624 1171 3 1 RT	Tool w/ Die Set + Locator	
	12	624 1300 3 1 RT	Tool w/ Die Set + Locator	
TongLin (RIG-MR2 / DIG-ED2 DIG-MD4 / DIG	14/12/10/0	624 1472 3 RT	Tool w/ Die Set	
TongLin (BIG-MB2 / BIG-FB2, BIG-MB4 / BIG-FB4, BIG-MB6 / BIG-FB6, BIG-MB8 / BIG-FB8)	14/12/10/8	624 1472 3 1 RT	Tool w/ Die Set + Locator	
Tonglin	13/10	624 1709 3 RT	Tool w/ Die Set	
Tonglin (BIG-MB5 / BIG-FB5)	12/10	624 1709 3 1 RT	Tool w/ Die Set + Locator	
Tonglin (BIG-MA2 / BIG-FA2, BIG-MA4 / BIG-FA4)	14/12/10	624 1474 3 1 RT	Tool w/ Die Set + Locator	
	44/42/42	624 194 3 RT	Tool w/ Die Set	
a	14/12/10	624 194 3 1 RT	Tool w/ Die Set + Locator	
Staubli MC3	10/1-1-	624 348 3 RT	Tool w/ Die Set	
	12/10/8	624 348 3 1 RT	Tool w/ Die Set + Locator	

TOOLS FOR OTHER TERMINALS ON REQUEST (E.G. KOSTAL, SMK, YUKITA, HUBER+SUHNER,...).

Single components: All of our Crimping Die Sets & Locators will fit into our Crimp **System Tools**



Staubli MC4 Tilan (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) 14/12/10 624 570 3 0 RT Die Set only	,
Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S 12/10/8 12/10/8 624 1193 0 01 RT Locator only 12/10 (stamped&formed)	· ·
12/10/8 Staubli MC4 12/10 (stamped&formed) and 8 (machined/solid) Staubli MC4-EVO 2 14/12/10/8 Amphenol UTX™-S&F 14/12/10/8 12/10/8 624 1193 0 01 RT Locator only 624 1301 0 01 RT Locator only 624 1332 3 0 RT Die Set only 624 1332 3 0 RT Die Set only 624 1332 0 01 RT Locator only 624 1334 0 RT Die Set only 624 1364 0 01 RT Locator only 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only 624 1371 0 01 RT Die Set only 624 1371 0 01 RT Locator only	; =
12/10/8 5taubli MC4 12/10 (stamped&formed) and 8 (machined/solid) 524 1193 0 01 RT Locator only Die Set only Locator only Locator only Die Set only 14/12/10/8 524 1332 3 0 RT Die Set only 14/12/10/8 524 1332 0 01 RT Locator only Die Set only Die Set only 14/12/10 624 1332 0 01 RT Locator only Die Set only 14/12/10 624 1364 3 0 RT Die Set only 14/12/10 624 1364 0 01 RT Locator only Die Set only 14/12/10/8 624 1371 3 0 RT Die Set only Locator only Die Set only 14/12/10/8 624 1371 0 01 RT Locator only Die Set only Die Set only 14/12/10/8 624 1371 0 01 RT Locator only Die Set only	# =
12/10 (stamped&formed) and 8 (machined/solid) Staubli MC4-EVO 2 14/12/10/8 624 1301 0 01 RT Locator only 624 1332 0 01 RT Locator only 624 1334 0 RT Die Set only 624 13364 0 01 RT Locator only 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only	, = #
8 (machined/solid) 8 (machined/solid) 624 1301 0 01 RT Locator only 624 1332 3 0 RT Die Set only 624 1332 0 01 RT Locator only 624 1332 0 01 RT Locator only 624 1364 3 0 RT Die Set only 624 1364 0 01 RT Locator only 624 1364 0 01 RT Locator only 624 1364 0 01 RT Locator only 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only	,
Staubli MC4-EVO 2 14/12/10/8 624 1332 3 0 RT Die Set only 624 1332 0 01 RT Locator only 624 1364 3 0 RT Die Set only 624 1364 0 01 RT Locator only 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only 624 1371 0 01 RT Die Set only 624 1371 0 01 RT Die Set only 624 1371 0 01 RT Die Set only Die Set only	y
Staubli MC4-EVO 2 14/12/10/8 624 1332 0 01 RT Locator only Amphenol UTX™ S&F 14/12/10 624 1364 3 0 RT Die Set only Amphenol UTX™-XL/CF (machined contacts) 14/12/10/8 624 1371 3 0 RT Die Set only Amphenol H4 cF (machined contacts) 14/12/10/8 624 1371 0 01 RT Locator only	,
Amphenol UTX™ S&F 14/12/10 624 1364 0 01 RT Locator only Amphenol UTX™-XL/CF (machined contacts) 14/12/10/8 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only 624 1371 0 01 RT Locator only 624 1194 3 0 RT Die Set only	
Amphenol UTX™ S&F 14/12/10 624 1364 0 01 RT Locator only 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only 624 1394 3 0 RT Die Set only	
Amphenol UTX TM -XL/CF (machined contacts) 14/12/10/8 624 1371 3 0 RT Die Set only 624 1371 0 01 RT Locator only 624 1194 3 0 RT Die Set only	ř
Amphenol UTX***-XL/CF 14/12/10/8 624 1371 0 01 RT Locator only Amphenol H4 cf (machined contacts) 14/12/10/8 624 1194 3 0 RT Die Set only	
Amphenol H4 cf (machined contacts) 14/12/10/8 624 1194 3 0 RT Die Set only	
Amphenol H4 cF (machined contacts) 14/12/10/8	
	600(3)0
624 1175 3 0 RT Die Set only	
Amphenol H4 s&F 14/12/10 624 1175 0 01 RT Locator only	
624 073-1 3 0 RT Die Set only	
Wieland (Gesis Solar) 12/10/8 624 071 0 016 RT Locator only	
624 817 3 0 RT Die Set only	
TE (Solarlok) 16/14/12/10 624 817 0 01 RT Locator only	
624 969 3 0 RT Die Set only	
TE (Solarlok PV4) 12/10 624 969 0 01 RT Locator only	
624 1170 3 0 RT Die Set only	
6/8 624 1170 0 01 RT Locator only	
624 1171 3 0 RT Die Set only	
BizLink/SunBolt 10 624 1171 0 01 RT Locator only	7
624 1300 3 0 RT Die Set only	
12 624 1300 0 01 RT Locator only	
Tonglin 624 1472 3 0 RT Die Set only	
TongLin (BIG-MB2 / BIG-FB2, BIG-MB4 / BIG-FB4, BIG-MB5 / BIG-FB8)	_
624 1709 3 0 RT Die Set only	-
Tonglin (BIG-MB5 / BIG-FB5) 12/10 624 1709 0 01 RT Locator only	
Tonglin (NC MAZ/RIC TO RIC MAZ/	
Tonglin (BIG-MA2 / BIG-FA2, BIG-MA4 / BIG-FA4) 14/12/10 624 1474 3 0 RT Die Set only 624 1474 0 01 RT Locator only	ŗ
624 194 3 0 RT Die Set only	
14/12/10 624 194 0 01 RT Locator only	
Staubli MC3 624 348 3 0 RT Die Set only	No.
12/10/8 624 348 0 01 RT Locator only	2


TOOLS FOR OTHER TERMINALS ON REQUEST (E.G. KOSTAL, SMK, YUKITA, HUBER+SUHNER,...).

CSC Multifunction Tool


No more carrying around 3 different tools, when all you really want to do is make a connection. "CSC" stands for Cut - Strip - Crimp, and that's what this tool does. Unique in the industry!

- > For cutting, stripping and crimping of solar contacts with just one tool
- > Includes Die Set
- > Applicable for other wire sizes and connector types
- > Burnished finish, solid construction, easy to handle
- > Made in Germany made by Rennsteig





Application	Wire Gauge	Part#	Description	Terminal*
		624 004 3 RT	Tool with Die Set	
itaubli MC4	12	624 004 3 1 RT	Tool with Die Set+Locator	
lian (T4-PC-1/T4-PPE-1)	(similar to 4 mm2)	624 004 3 0 RT	Die Set only	
winsel (PV-SY02M/PV-SY02F)		624 004 0 01 RT	Locator only	·
inko (PV-JK03M)		624 006 3 RT	Tool with Die Set	
eoni (LSC-R1)	10	624 006 3 1 RT	Tool with Die Set+Locator	
E Solarlok PV4-S	(similar to 6 mm2)	624 006 3 0 RT	Die Set only	
		624 006 0 01 RT	Locator only	
		624 1184 3 RT	Tool with Die Set	
	12	624 1184 3 1 RT	Tool with Die Set+Locator	
	(similar to 4 mm2)	624 1184 3 0 RT	Die Set only	
		624 1184 0 01 RT	Locator only	W. C.
imphenol H4 cF (machined contacts)		624 1185 3 RT	Tool with Die Set	
	10 (similar to 6 mm2)	624 1185 3 1 RT	Tool with Die Set+Locator	4
		624 1185 3 0 RT	Die Set only	
		624 1185 0 01 RT	Locator only	
	12 (similar to 4 mm2)	624 1197 3 RT	Tool with Die Set	
		624 1197 3 1 RT	Tool with Die Set+Locator	
		624 1197 3 0 RT	Die Set only	
Att - I I		624 1197 0 01 RT	Locator only	
Vieland (Gesis Solar)		624 1196 3 RT	Tool with Die Set	
	10	624 1196 3 1 RT	Tool with Die Set+Locator	
	(similar to 6 mm2)	624 1196 3 0 RT	Die Set only	
		624 1196 0 01 RT	Locator only	
		624 004-L 3 RT	Tool with Die Set	
	12	624 004-L 3 1 RT	Tool with Die Set+Locator	
	(similar to 4 mm2)	624 004-L 3 0 RT	Die Set only	
. no Fuino I		624 004-L 0 01 RT	Locator only	110
APP Epic Solar 4		624 006-L 3 RT	Tool with Die Set	(Second of the
	10	624 006-L 3 1 RT	Tool with Die Set+Locator	
	(similar to 6 mm2)	624 006-L 3 0 RT	Die Set only	
		624 006-L 0 01 RT	Locator only	







At Rennsteig, we stay on top of the market. When new connectors come out and gain ground, you can be sure we'll make die sets for them. What does this mean? It means you don't have to invest in a whole new crimp tool. You can just get an additional die set to fit your existing crimp tool, and you're ready to install the latest gear.

CFOFCE Battery Powered Erimping Tool





Tool comes in portable plastic case with storage space.



6

Ergonomic working height when used for bench top production.



Powerful electromechanical drive mechanism. No accident-sensitive hydraulic components.



Start Button with integrated multifunction LED-Display for indication of:

- Function standby
- Remaining battery capacity
 Overloading

Application	Wire Gauge	Part#	Description	Terminal*
Staubli MC4				
Tlian (T4-PC-1/T4-PPE-1)		624 570 3 0 RT	Die Set only	
Twinsel (PV-SY02M/PV-SY02F)				
Jinko (PV-JK03M)	14/12/10			
Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A)	AHONS	624 570 0 01 RT	Locator only	
TE Solarlok PV4-S				
	12/10/8	624 1193 3 0 RT	Die Set only	
Staubli MC4		624 1193 0 01 RT	Locator only	
3.003	12/10 (stamped&formed) and	624 1301 3 0 RT	Die Set only	
		624 1301 0 01 RT	Locator only	
Staubli MC4-EVO 2	14/12/10/8	624 1332 3 0 RT	Die Set only	
Staubii IVIC4-L V O Z	14/12/10/0	624 1332 0 01 RT	Locator only	
A march and all ITV m	14/12/10	624 1364 3 0 RT	Die Set only	
Amphenol UTX ™ s&F	14/12/10	624 1364 0 01 RT	Locator only	
Amphenol UTX™-XL/CF	4.4/4.2/4.0/0	624 1371 3 0 RT	Die Set only	
(machined contacts)	14/12/10/8	624 1371 0 01 RT	Locator only	
		624 1194 3 0 RT	Die Set only	cor(jp
Amphenol H4 cF (machined contacts)	14/12/10/8	624 1194 0 01 RT	Locator only	
		624 1175 3 0 RT	Die Set only	
Amphenol H4 s&F	14/12/10	624 1175 0 01 RT	Locator only	
		624 073-1 3 0 RT	Die Set only	-049
Wieland (Gesis Solar)	12/10/8	624 071 0 016 RT	Locator only	
		624 817 3 0 RT	Die Set only	
TE (Solarlok)	16/14/12/10	624 817 0 01 RT	Locator only	
		624 969 3 0 RT	Die Set only	
TE (Solarlok PV4)	12/10	624 969 0 01 RT	Locator only	
		624 1170 3 0 RT	Die Set only	
	6/8	624 1170 0 01 RT	Locator only	
		624 1171 3 0 RT	Die Set only	_
BizLink/SunBolt	10	624 1171 0 01 RT	Locator only	
		624 1300 3 0 RT	Die Set only	
	12	624 1300 0 01 RT	Locator only	
		624 1472 3 0 RT	Die Set only	
TongLin (BIG-MB2 / BIG-FB2, BIG-MB4 / BIG-FB4, BIG-MB6 / BIG-FB6, BIG-MB8 / BIG-FB8)	14/12/10/8	624 1472 0 01 RT	Locator only	
		624 1709 3 0 RT	Die Set only	
Tonglin (BIG-MB5 / BIG-FB5)	12/10	624 1709 0 01 RT	Locator only	
		624 1474 3 0 RT	Die Set only	
Tonglin (BIG-MA2 / BIG-FA2, BIG-MA4 / BIG-FA4)	14/12/10			
		624 1474 0 01 RT	Locator only	
	14/12/10	624 194 3 0 RT	Die Set only	-
Staubli MC3		624 194 0 01 RT	Locator only	
	12/10/8	624 348 3 0 RT	Die Set only	
		624 348 0 01 RT	Locator only	

TOOLS FOR OTHER TERMINALS ON REQUEST (E.G. KOSTAL, SMK, YUKITA, HUBER+SUHNER,...).

Solar Crimp Sets (preassembled)

This professional set has everything you need to make solar wire connections. All components are high-quality Rennsteig tools designed Made in Germany and specially for the solar industry.



Application	Wire Gauge	Part#	Description	Terminal*
Amphenol H4 cF (machined contacts) Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S TE (solarlok)	H4 - 14/12/10/8 MC4 - 14/12/10 TE - 16/14/12/10	624 105-40 RT	Crimp Tool H4-Die Set, H4-Locator MC4-Die Set, MC4-Locator Tyco-Die Set, Tyco-Locator Spare Parts	
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A)	MC4 - 14/12/10 H4 - 14/12/10/8 Wieland - 12/10/8	624 105-18 RT	Crimp Tool MC4-Die Set, MC4-Locator H4-Die Set, H4-Locator Wieland-Die Set, Wieland-	
TE Solarlok PV4-S Amphenol H4 cF (machined contacts) Wieland (Gesis Solar)			Locator, Spare Parts	3
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F)			Crimp Tool MC4-Die Set, MC4-Locator	
Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A)	MC4 - 14/12/10 TE - 16/14/12/10 Wieland - 12/10/8	624 105-21 RT	Tyco-Die Set, Tyco-Locator Wieland-Die Set, Wieland-Locator, Spare	
TE Solarlok PV4-S TE (Solarlok) Wieland (Gesis Solar)			Parts	= 9
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S	MC4 - 12/10 (stamped&formed) MC4 - 8 (solid/machined) H4 - 14/12/10/8	624 105-51 RT	Crimp Tool MC4-Die Set, MC4-Locator H4-Die Set, H4-Locator, Spare Parts	

You already own our tools? Complete it with a case.

	Part#	Description
Empty Set case for Rennsteig Crimp System Tool	624 105-25 RT	Space for: - 1x Crimp System Tool - 5x Die Sets - 5x Locators - additional storage space (includes spare parts)

Custom Solar Crimp Set "ONE FOR ALL"

Our "Custom Solar Crimp Set ", gives YOU the option to create your own set. With a top-quality Rennsteig Solar System Crimp Tool, Crimp Dies and Locators of your choice - up to 5 different combinations are possible. YOU decide which ones you need. We offer tools for all common manufacturers like Multi-Contact, Tyco, Amphenol, Wieland and many others.

YOU decide which ones you need!

Step by Step

- 1. Choose your application, you can add a maximum of 5 different Die Sets in the case
- 4 2. You can also add a maximum of 5 different Locators in the case
 - 3. If you have added a MC4 Die Set or Locator, you can also add a maximum of 2 Assembly Keys for MC4 couplers.
 - 4. Place an order by using Part# R624 105-12 and the Part#'s shown in the tables after having finished step 1-3.



Basic Item

Empty Tool Frame in portable plastic case

Part# 624 105-12 RT

Application	Wire Gauge	Part#	Description	Terminal*
Staubli MC4, Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F), Jinko (PV-JK03M), Leoni (LSC-R1), BizLink (S418-F1A/S418-F2A), TE Solarlok PV4-S	14/12/10	624 570 3 0 RT	Die Set only	
	12/10/8	624 1193 3 0 RT	Die Set only	
Staubli MC4	12/10 (stamped&formed) and 8 (machined/solid)	624 1301 3 0 RT	Die Set only	⇒ * − ≈
Staubli MC4-EVO 2	14/12/10/8	624 1332 3 0 RT	Die Set only	
Staubli MC3	14/12/10	624 194 3 0 RT	Die Set only	
Staubli IVIC3	12/10/8	624 348 3 0 RT	Die Set only	
Amphenol UTX ™ s&F	14/12/10	624 1364 3 0 RT	Die Set only	
Amphenol UTX TM -XL/CF (machined contacts)	14/12/10/8	624 1371 3 0 RT	Die Set only	
Amphenol H4 CF (machined contacts)	14/12/10/8	624 1194 3 0 RT	Die Set only	400(30
Amphenol H4 s&F	14/12/10	624 1175 3 0 RT	Die Set only	- F
Wieland (Gesis Solar)	12/10/8	624 073-1 3 0 RT	Die Set only	=20
TE (Solarlok)	16/14/12/10	624 817 3 0 RT	Die Set only	F9.5
TE (Solarlok PV4)	12/10	624 969 3 0 RT	Die Set only	
SMK	14/12/10	624 1188 3 0 RT	Die Set only	Control of the last of the las
	6/8	624 1170 3 0 RT	Die Set only	
BizLink/SunBolt	10	624 1171 3 0 RT	Die Set only	
	12	624 1300 3 0 RT	Die Set only	

Application	Wire Gauge	Part#	Description	Terminal*
Staubli MC4, Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F), Jinko (PV-JK03M), Leoni (LSC-R1), BizLink (S418-F1A/S418-F2A), TE Solarlok PV4-S	14/12/10	624 570 0 01 RT	Die Set only	
	12/10/8	624 1193 0 01 RT	Die Set only	
Staubli MC4	12/10 (stamped&formed) and 8 (machined/solid)	624 1301 0 01 RT	Die Set only	
Staubli MC4-EVO 2	14/12/10/8	624 1332 0 01 RT	Die Set only	
o. 10 MC2	14/12/10	624 194 0 01 RT	Die Set only	
Staubli MC3	12/10/8	624 348 0 01 RT	Die Set only	
Amphenol UTX ™ S&F	14/12/10	624 1364 0 01 RT	Die Set only	
Amphenol UTX [™] -XL/CF (machined contacts)	14/12/10/8	624 1371 0 01 RT	Die Set only	
Amphenol H4 cF (machined contacts)	14/12/10/8	624 1194 0 01 RT	Die Set only	encijo
Amphenol H4 s&F	14/12/10	624 1175 0 01 RT	Die Set only	
Wieland (Gesis Solar)	12/10/8	624 071 0 016 RT	Die Set only	==30
TE (Solarlok)	16/14/12/10	624 817 0 01 RT	Die Set only	
TE (Solarlok PV4)	12/10	624 969 0 01 RT	Die Set only	
SMK	14/12/10	624 1188 0 01 RT	Die Set only	Control of the last of the las
	6/8	624 1170 0 01 RT	Die Set only	
BizLink/SunBolt	10	624 1171 0 01 RT	Die Set only	
	12	624 1300 0 01 RT	Die Set only	

Professional Solar Wiring/Crimping Kits (preassembled)

INSTALLERS

Cable Cutter

Save money...by fabricating your own PV wires. This professional kit has everything you need for making solar wire connections, from cutting - stripping - crimping. All components are top-quality Rennsteig tools designed and made in Germany specially for the solar industry.

Every Kit includes:

- > Crimping Die Sets
- Locators (for correct positioning of the terminal)
- > Insulation stripper
- > Cable cutter
- > Different spare parts
- > Made in Germany made by Rennsteig



Application	Wire Gauge	Part#	Description	Terminal*
Amphenol H4 cF (machined contacts) Staubli MC4 Tlian (T4-PC-1/T4-PPE-1)			Crimp Tool H4-Die Set, H4-Locator	
Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1)	H4 - 14/12/10/8 MC4 - 14/12/10 TE - 16/14/12/10	624 105-32 RT	MC4-Die Set, MC4-Locator Tyco-Die Set, Tyco-Locator, Insulation Stripper,	
BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S TE (Solarlok)			Cable Cutter RG, Spare Parts	
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S	MC4 - 14/12/10 H4 - 14/12/10/8 Wieland - 12/10/8	624 105-17 RT	Crimp Tool MC4-Die Set, MC4-Locator H4-Die Set, H4-Locator Wieland-Die Set, Wieland- Locator, Insulation Stripper, Cable Cutter RG, Spare Parts	
Amphenol H4 cF (machined contacts) Wieland (Gesis Solar)				
Staubli MC4 Tlian (T4-PC-1/T4-PPE-1) Twinsel (PV-SY02M/PV-SY02F)	MC4 - 12/10 (stamped&formed)		Crimp Tool MC4-Die Set, MC4-Locator	
Jinko (PV-JK03M) Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A)	MC4 - 12/10 (stamped&formed) MC4 - 8 (solid/machined) H4 - 14/12/10/8	624 105-52 RT	H4-Die Set, H4-Locator, Insulation Stripper, Cable Cutter RG,	
TE Solarlok PV4-S Amphenol H4 cF (machined contacts)			Spare Parts	A STATE OF THE PARTY OF

Professional Solar Wiring/Crimping Kit Plus (preassembled)

			(,	
Application	Wire Gauge	Part#	Description	Terminal*	
Multi-Contact MC3 (Solarline 1) Staubli MC4 Tlian (T4-PC-1/T4-PPE-1)			Crimp Tool MC3-Die Set, MC3-Locator		
Twinsel (PV-SY02M/PV-SY02F) Jinko (PV-JK03M)	MC3 - 14/12/10 MC4 - 14/12/10	l (PV-SY02M/PV-SY02F) MC3 - 14/12/10 V-JK03M) MC4 - 14/12/10	624 105-23 RT	MC4-Die Set, MC4-Locator Tyco-Die Set, Tyco-Locator Assembly Tool for	
Leoni (LSC-R1) BizLink (S418-F1A/S418-F2A) TE Solarlok PV4-S	TE - 16/14/12/10		mounting of MC3 Couplers, Insulation Stripper, Cable Cutter RG		



Save money...by fabricating your own PV wires. This professional kit has everything you need for making solar wire connections, from cutting - stripping - crimping. All components are top-quality Rennsteig tools designed and made in Germany specially for the solar industry. Every Kit includes:

- > Crimping Die Sets
- > Locators (for correct positioning of the terminal)
- > Insulation stripper
- > Assembly Tool for MC3 coupler
- > Cable cutter
- > Different spare parts
- > Made in Germany made by Rennsteig

You already own our tools? Complete it with a case.	Part#	Description
Empty Kit case for Rennsteig Crimp System Tool	624 105-26 RT	Space for: 1x Crimp System Tool, 1x Insulation Stripper, 1x Cable Cutter, 2x Die Sets, 2x Locators
Empty Kit ^{Plus} case for Rennsteig Crimp System Tool	624 105-28 RT	Space for: 1x Crimp System Tool, 1x Insulation Stripper, 1x Cable Cutter, 1x Assembly Tool, 2x Die Sets, 2x Locators, Additional storage space

Solar wire insulation stripper

Unlike other strippers, that only cut insulation partially and tear the rest, this Rennsteig stripper cuts the insulation around the entire circumference of the wire, and then pulls it gently off the end. There is never any damage to the leads.

Replaceable stripping blades let you configure the stripper to your needs. When the blades wear out, you can replace them without buying a new stripper - for significant savings.

- > For two-stage stripping action
- > Specialized tool with length stop, for precise stripping and dismantling of single and multi-strand cables
- > No pinching or deformation of cable ends
- > Interchangable blades for different wire gauges
- > Custom blade design upon request
- > Burnished finish, ergonomically designed two-component handles
- > Solid construction, easy to handle
- > Made in Germany made by Rennsteig





Positive stripping thanks to precise shape of the blades.



Automatic stripping of the insulation.



Adjustable length stop with scale

4-piece interchangeable blade set, Precision mechanism of hardened spring steel, tough and long lasting






Application	Maximum Wire Cross Section	Part#	Blade
Tool for metric solar cable	1.5/2.5/4/6 mm2 (similar to AWG 16/14/12/10)	708 226 3 RT	
Tool for AWG solar cable	AWG 16/14/12/10	708 226-1 6 RT	2001 E
Tool for metric solar cable	4/6/10 mm2 (similar to AWG 12/10/8)	708 269 3 RT	
Tool for metric solar cable	4 mm2 (similar to AWG 12)	708 269-1 3 RT	3 × 1
Tool for metric solar cable	6 mm2 (similar to AWG 10)	708 269-2 3 RT	
Tool for metric solar cable	10 mm2 (similar to AWG 8)	708 269-3 3 RT	Taranta and the same of the sa



Two pairs of blades (1) cut the insulation to a complete extent. Then the blade pairs move The shaped blades cuts the insulation apart, and thus the insulation is removed form-fit (2). The pliers opens automatically after the stripping procedure.



completely. (The red area will be cut, no damaging of the cable strands)



Already now more than 250 different stripping blades available! Custom blade design upon request.

Page 19

Cable Cutter

This specially-designed Rennsteig Cable Cutter gives you clean, straight, burr-free cuts, with no wire end deformation. Wires stay round, so they fit better and more securely into terminals. The ergonomic form factor makes your job easier, too.

- > Perfect for cutting almost all cables (*Not for steel wire or hard-drawn copper cables)
- > Plastic coated handles
- > Easy, clean, one hand cuts
- > Sharp, hardened, precision-ground blades
- > No crushing or deformation of cables
- > Material: special tool steel, forged



Tool name	Maximum Wire Cross Section	Part#	Finish	Picture
Cable Cutter	50 mm2 (similar to AWG 1/0)	700 015 3 RT	Burnished, plastic coated	Annual State
Cable Cutter RG	50 mm2 (similar to AWG 1/0)	700 015 36 RT	Burnished, reinforced plastic grips	Asserted Sales
Cable Cutter OS	50 mm2 (similar to AWG 1/0)	700 016 3 RT	Burnished, spring loaded, plastic coated	Assessment No. 127
Cable Cutter RGO	50 mm2 (similar to AWG 1/0)	700 016 36 RT	Burnished, spring loaded, reinforced plastic grips	Asserte Title
Cable Shears D27	150 mm2 (similar to AWG 5/0)	700 027 2 RT	Burnished, bright ground blades	

Cable Tie Removal Tool



This tool is especially designed for opening the heads of cable ties without harming bundled items.

- > Light weight
- > Recommended by the aircraft industry
- > Wire tie "capture" cutting design, prevents wire tie head from ejecting into sensitive equipment
- > For areas with limited space
- > Spring loaded
- > Designed for Maintenance and Repair

Tool name	Capacity	Part#	Finish
Cable Tie Removal Tool	Works great with all cable tie strap widths.	8007 5004 6 RT	Two-component handles

Assembly Key for MC4 couplers

This absolutely ergonomic PVC open end spanner is for tightening and loosening of the cable gland. You can use this key also for breaking connections (open the locking) after they have already been locked together.

To tighten the cable gland, we recommend using two assembly keys.

The Key comes in green.





Assembly Key for MC4 couplers (Set of 2)

Part# 690 001 RT

Automatic Center Punch with Hand Guard

The automatic center punch is a selfstriking tool - used for fast and precise markings. It is mainly used in such fields as precision mechanics, steel engineering and by tool makers and for similar applications. The striking force can be adjusted continously.

- > Machine steel
- > Precision design
- > Activated by downward pressure (you don't need a hammer)
- > Replaceable hardened pin
- > Single handed operation
- > Nickel plated finish
- > Rugged self striking mechanism
- > Impact force adjustable
- > Hand guard prevents insurance
- > Made in Germany made by Rennsteig





Center Punch Size I - 20 - 50 N Striking Force

Part# 430 229 RT

Dual-Edged Screw Extractor (Easy-Outs)

PATENTED

This Dual-Edged Screw Extractor represents a new generation of its kind and is used to remove ruined screws or bolts out of threads. This technology can be used on right-hand and left-hand threads.

- > For unscrewing ruined screws and bolts without damaging threads
- > Unique design allows both left and right-handed turning
- > Extractor is driven into the bore hole for a safe and secure hold
- > Integrated center punch pin for precision work
- > Non-slip and dual-edged engagement with the screw or bolt to be removed
- > Material: chrome vanadium steel, for longer tool life
- > Surface: burnished, cutting edges polished
- > Made in Germany made by Rennsteig





Ctt	Screw Size Inch		Screw Size	
Content	Min	Max	Min	Max
Size I	3/16	1/4	M5	M6
Size II	5/16	3/8	M8	M10
Size II	7/16	1/2	M10	M12




Screw Extractor set in plastic case (Size I/II/III)

Part# 471 903 3 RT

Cut Off Tool (called Singulator)

> Tool to separate terminals from terminal-reel, coil up to a material thickness of 1/32"





Side Feed, Front Carrier Strip	Center Feed Terminal Strips	End Feed Terminal Strips

Tool name	Part#	Description	Stock Thickness	Finish
Cut Off Tool (called Singulator)	625 41551 3 RT	Rennsteig Cut Off Tool (called Singulator) This hand tool was developed to seperate terminals from the carrier strip. With this tool you can cut single or multiple pieces in one step The Cut Off Tool enables operators to easily cut side-feed, front-carrier terminal strips and reels - the operator creates loose piece terminals All components are long life tested The hand tool produces a clean cut (perfect cut-off tab)	max. 1/32" 0.7 mm	Two-component handles

Assembly Tool for mounting of MC3 couplers

The MC3 Assembly Tool is a high quality device that is used for inserting the crimped solar PV cable into the rubber housing in order to build a fully insulated MC3 connection.

- > Suitable for assembling MC3 connectors from 14/12/10/8 AWG (similar to 2.5/4/6/10 mm²)
- > Can be used for both male and female connections
- > Ergonomic and effortless
- > Up to 3 spindles can be stored in grip
- > Made in Germany made by Rennsteig

Suitable for on-site use, on roofs, etc.





Application	Wire Gauge	Part#	Description	Terminal*
Multi-Contact MC3	14/12/10/8	725 000 RT	Complete Tool w/ all spindles for mounting of MC3 couplers	

Private Label

To enhance our customers marketing position, we offer a private labeling service which provides you the following options:

- > Your logo on the tool
- > Ergonomic 2- component handles can be varied in color
- > Customized labeling

Custom Design

In addition to our standard product line, we offer custom design tooling. We have the knowledge, skill and capacity to meet any customer specifications, and we specialize in meeting customer requirements.

ON REQUEST





A leading US and German producer of high quality hand tools, Rennsteig Werkzeuge designs and manufactures state of the art crimping, cutting, and stripping tools. The company follows a long tradition of specialty hand tool development and manufacturing which enables it to craft exceptionally dynamic hand tools. In January 2006, Rennsteig Werkzeuge established Rennsteig Tools Inc. with a sales office in Hudson, Ohio to better serve the North American market (including Canada and Mexico). From this location, the company provides precision tools that conform to USCAR 21 and other North American specifications. Rennsteig Tools Inc. supplies distributors, dealers, OEMs, secondary suppliers and individuals across various industries.

In **November 2009**, Rennsteig emphasized its commitment to US market with the opening of a new warehouse in Somerdale NJ. In **August 2010**, Rennsteig moved from Hudson, OH to a new Sales Office in Rutherford, NJ.

In **October 2013**, Rennsteig opened a new technical office in Texas. Rennsteig offers the right tools to help you do a professional job by making electrical connections neat, durable, and fast.

In June 2015, RENNSTEIG TOOLS, INC. opened a service point in Illinois.

In **July 2016**, RENNSTEIG TOOLS, INC. moved from Rutherford, NJ to Hackensack, NJ.



State-of-the-art production - The core of our company!







Rennsteig can help you streamline your solar installs, by giving you the tools you need to do a fast, professional job. These precision cutting, stripping and crimping tools are specifically engineered for the wires and terminals specific to the solar industry. Our top-quality tools are designed for durability and efficiency, and give you consistently excellent results. RENNSTEIG TOOLS MEET THE REQUIREMENTS OF EVERY PROFESSIONAL USER.



Other products we manufacturer.



TOOLS FOR AUTOMOTIVE



INSERTION & EXTRACTION TOOLS



ASSEMBLY TOOLS



TOOLS FOR OPTICAL FIBER



BATTERY OPERATED HEAVY DUTY CRIMPERS



HARDWARE

